<section-header>

Deliver clear presentations throughout years of uninterrupted meetings on a large scalable WUXGA screen that can be positioned almost anywhere.

Whether delivering crisp, clear presentations or viewing video content, the stylishly-designed EB-U42 is ideally suited for the office or home. Enjoy a Full HD display with a high lumens output for all-round content visibility. Reliable technology creates peace of mind with reduced product intervention and maintenance.

Bright, vivid content on a large scalable screen

View content like never before and pick out even the finest detail with crisp, clear images with a screen size up to 300 inches. The combination of a high brightness, high contrast ratio of 15,000:1, and Full HD content provides superior image quality and a viewing experience that is easy on the eye, even in high ambient lighting conditions.

Years of uninterrupted meetings

With a lamp life and air filter maintence cycle of 10,000 hours in eco mode, users won't need to worry about maintenance for up to 5 years¹.

Installation and placement flexibility

Automatic vertical and manual horizontal keystone correction provide greater flexibility as to where the projector can be placed in the room for distortion-free images and the wide optical zoom adds to the flexibility.

Flexible connectivity for content sharing

Built-in Wi-Fi enables easy and intuitive access to the projector from compatible smart devices using the iProjection app². Display content with the freedom to move around and engage with your audience. Split screen capability allows content from more than one device to be displayed simultaneously without the need for two separate display devices.

KEY FEATURES

- Full HD bright images 3LCD technology and equally high white and colour light output
- Contrast ratio of 15,000:1 Deep, rich blacks and dense shadow areas
- Wireless connectivity Built-in Wi-Fi
- Low TCO Lamp and filter life of 10,000 hours
- Versatile and flexible control Project from different sources with HDMI input and mobile connectivity



EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	3LCD Technology
CD Panel	0,67 inch with MLA (D10)
MAGE	
Colour Light Output	3.600 lumen- 2.235 lumen (economy) in accordance with IDMS15.4
White Light Output	3.600 lumen - 2.235 lumen (economy) in accordance with ISO 21118:2012
Resolution	WUXGA, 1920 x 1200, 16:10
ligh Definition	Full HD
Aspect Ratio	16:10
Contrast Ratio	15.000 : 1
light source	
.amp	UHE, 210 W, 6.000 h durability, 10.000 h durability (economy mode)
Keystone Correction	Auto vertical: ± 30 °, Manual horizontal ± 30 °
Colour Processing 2D Vertical Refresh Rate	10 Bits 192 Hz - 240 Hz
Colour Reproduction	upto 1.07 billion colours
OPTICAL	
Projection Ratio	1,38 - 1,68:1
Zoom	Manual, Factor: 1,2
ens	Optical
mage Size	30 inches - 300 inches
	le 1,8 m - 2,17 m (60 inch screen)
Projection Lens F Number Focal Distance	1,5 - 1,71 20.42 mm - 24.5 mm
Focus	20,42 mm - 24,5 mm Manual
Offset	10:1
CONNECTIVITY	
JSB Display Function	3 in 1: Image / Mouse / Sound
nterfaces	USB 2.0 Type A, USB 2.0 Type B, Wireless LAN IEEE 802.11b/g/n, VGA in, HDMI in (2x),
	Composite in, MHL, Cinch audio in, Miracast
Epson iProjection App	Ad-Hoc / Infrastructure
ADVANCED FEATURES	
Security	Kensington lock, Padlock, Security cable hole, Wireless LAN security, Password protection
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard
eatures	AV mute slide, Built-in speaker, Direct Power on/off, Document Camera Compatible,
	Horizontal and vertical keystone correction, Long lamp life, MHL audio/video interface,
	Network projection, OSD copy function, PC Free, Split-Screen-Function, Wireless LAN
	capable, iProjection set-up by QR code
/ideo Colour Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB
GENERAL	
Energy Use	298 W, 219 W (economy), 0,2 W (standby)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Product dimensions	302 x 252 x 92 mm (Width x Depth x Height)
Product weight	2,8 kg
loise Level	Normal: 37 dB (A) - Economy: 28 dB (A)
lemperature	Operation 5° C - 35° C, Storage -10° C - 60° C
Humidity	Operation 20% - 80%, Storage 10% - 90%
ncluded Software	Epson Projector Management Software, EasyMP Multi PC Projection, EasyMP Network
N 10	Projection
Options	Document camera
oudspeaker	2 W Reading and Destable (Huddle and a Callaboration and a Calescond
Room Type / Application	Boardroom, Portable / Huddle space, Collaboration space / Classroom
Positioning	Ceiling Mounted, Desktop White / Black
Colour	WINE / DIACK
Colour	Vas
Colour ICO Certified	Yes
	Yes

EB-U42

WHAT'S IN THE BOX

- VGA cable
- Main unit
- Power cable
- Remote control incl. batteries

EPSON[®]

- User's Manual Set
- Warranty Documents
- Carrying Case

OPTIONAL ACCESSORIES

- Soft Carry Case ELPKS69 EB-x05/x41/x42, EH-TW6 series V12H001K69
- ELPLP96
- V13H010L96
- Air Filter ELPAF32
 V13H134A32
- Ceiling Mount (White) ELPMB23 V12H003B23
- Ceiling Pipe (700mm) ELPFP14 V12H003P14
- Ceiling Pipe (450mm) ELPFP13 V12H003P13

LOGISTICS INFORMATION

SKU	V11H846040
EAN code	8715946639611
Country of Origin	Philippines
Layer	6 Units





 Based on eight hours of use per day, five days a week.
 Requires iProjection App and an internet connection – compatible with IOS, Android and Google Chromebook devices only, and file sharing limitations may apply.

