# WorkForce Pro WF-C869RD3TWFC



Save on energy and cut waste with this reliable 4-in-1 business MFP, featuring predictable printing costs and low user intervention.

Print 84,000 pages<sup>1</sup> without any supply changes with this exemplary business printer, using Epson's super-high-yield Replaceable Ink Pack System (RIPS). Cut intervention downtime and lessen your impact on the environment with a reduction of up to 95 percent on energy<sup>1</sup> and 99 percent on waste<sup>1</sup>. It also uses PrecisionCore technology, renowned for its speed, quality, reliability and efficiency.

# Print 84,000 pages uninterrupted

Thanks to super-high-yield ink supply units, you can print up to 84,000 pages without replacing the ink<sup>1</sup>, that's up to 4.5 times more prints than colour lasers and copiers<sup>2</sup>. It cuts intervention time by up to 98 percent<sup>2</sup> as replacement inks are few and far between.

## The best choice

It uses Epson's most advanced printhead designed for business, PrecisionCore. But that's not all; compared to competitive colour lasers it uses up to 95 percent less power<sup>2</sup> thanks to its no-heat technology. There really is no contest; it also beats lasers and copiers with an up to 99 percent reduction in waste and it's up to 23% quieter than lasers and laser copiers<sup>2</sup>.

# Be more productive

Its first page out time is up to three and a half times faster than competitive products<sup>2</sup>. Wait times and the distance to collect print jobs are minimised too as it's a workgroup printer.

#### DATASHEET











































# **KEY FEATURES**

Reduce downtime
 Print up to 84,000 pages without replacing the ink<sup>1</sup>

Ecological

Uses up to 95 percent less power than competitive colour lasers<sup>2</sup>

Save time
 Automatic double-sided printing, scanning, copying and faxing

Built for business
 Added functionality with software tools such as Epson Open Platform

• PrecisionCore technology
Epson's most advanced printhead technology



#### PRODUCT SPECIFICATIONS

**TECHNOLOGY** 

Printing Method PrecisionCore™ Print Head

Nozzle Configuration 800 Nozzles black, 800 Nozzles per colour

Minimum Droplet Size 4.6 pl, With Variable-Sized Droplet Technology
Ink Technology Replaceable Ink Pack System (RIPS)

Application Office Workgroup

All-in-One Functions Print, Scan, Copy, Fax

PRINT

First Page Out Monochrome 6 Seconds, Colour 6 Seconds
Printing Speed ISO/IEC 24734 24 pages/min Monochrome, 24 pages/min Colour
Duplex Printing Speed 16 A4 pages/min Monochrome, 16 A4 pages/min Colour

ISO/IEC 24734

Printing Speed ISO/IEC 24734 13 pages/min Monochrome, 13 pages/min Colour

(A3)

Duplex Printing Speed 11 A4 pages/min Monochrome, 11 A4 pages/min Colour

ISO/IEC 24734 (A3)

Maximum Printing Speed 35 pages/min Colour (plain paper), 35 pages/min Monochrome (plain paper)

Printing Resolution 4,800 x 1,200 dpi
Max Duty cycle 75,000 pages per month

The maximum number of printed pages per month based on the performance capabilities of

the printer, including ISO rated print speeds and paper handling capabilities.

Recommended Duty Cycle 2,000 - 10,000 pages per month
Colours Black. Cyan. Yellow. Magenta

For detailed information on printing speeds please visit http://www.epson.eu/testing.

SCAN

Single-sided scan speed (A4 200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan

black)

Doubled-sided scan speed 200 dpi (with ADF); , 45 ipm with ADF scan

(A4 black)

Single-sided scan speed (A4 200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan

colour)

Doubled-sided scan speed 200 dpi (with ADF); , 45 ipm with ADF scan

(A4 colour)

Scanning Resolution 1,200 dpi x 2,400 dpi (Horizontal x Vertical)

Optical Resolution (ADF) 600 dpi x 600 dpi (Horizontal x Vertical)

Advanced document E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft SharePoint

integration with Epson Document Capture Pro, USB Memory Device

Output formats JPEG, TIFF, PDF

Scanner type Contact image sensor (CIS)

FAX

Type of fax Walk-up black and white and colour fax capability

Fax Transmission Speed Up to 33.6kbps / Approx. 3 sec/page

Error correction mode CCITU/ITU Group3 fax with Error Correction Mode

Fax speed dials (max) 2,000 names and numbers

Page memory Up to 550 pages/ 6MB (ITU-T No. 1 chart)

Fax Functions PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Speed Dial, Fax to Folder, Address

Book

#### WorkForce Pro WF-C869RD3TWFC

#### WHAT'S IN THE BOX

- Quick Setup Guide
- Main unit
- Warranty Documents
- User manual (CD)
- Power cable
- Paper tray
- Initialization Ink Supply Units



#### PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RD3TWFC

COPY

Copy Speed up to 22 ipm Black, up to 21 ipm Colour

\*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)

Copy resolution (dpi)

Reduction / Enlargement 25 % - 400 % Auto fit function

Maximum number of copies 999 Maximum Copy Size АЗ

CONNECTIVITY

LPR, FTP, IPP, Port 9100, WSD, Net BIOS over TCP/IP, IPPS, PTP over IP, DPS over IP, IS, **Network Printing Protocols** 

Network Management

HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, WSD, LLTD, SMTP, LLMNR, POP3, IEEE

Protocols

802.1X, ARP, GARP, EAP, ICMP, IGMP, DCHP, DNS-SD, HTTPS, XMPP, SMTPS, LDAP,LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap

Network Scanning Protocols NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP

Interfaces

Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-

Base TX/ 10-Base-T), USB host, Wi-Fi Direct, USB 2.0 Type A (2x), Wireless LAN IEEE

802.11a/b/g/n, USB 3.0 Type B

WLAN Security WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)

**Network Protocols** TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS

PAPER / MEDIA HANDLING

Paper Formats A4, A5, A6, B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18

cm, 20 x 25 cm, Legal, A3, B4, B6, C5 (Envelope), DL (Envelope), HLT, EXE, Tabloid, A3+

Automatic Document Feeder 50 pages

Compatible Paper Weight 64 g/m<sup>2</sup> - 300 g/m<sup>2</sup>

Duplex Output Tray Capacity

Yes 250 Sheets

Paper Tray Capacity 1.835 Sheets Standard, 1.835 Sheets maximum

Standard paper tray(s) 85-Sheet Multi-Purpose Tray, 250-sheet paper tray, 3 x 500 sheet paper tray, Cabinet

Maximum paper input Rear paper path (special Yes

1,835

media)

Number of paper trays

PAPER FEED RASE

Paper Input Name RASE

Paper Formats A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope),

No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, HLT, User defined, Legal,

Executive, SRA3, Tabloid

Min 55x 330 mm to Max 127x 1,200 mm Custom sizes

Compatible paper weight 64 g/m<sup>2</sup> - 300 g/m<sup>2</sup>

Paper Capacity 1 85 80asm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper

PAPER FEED C1

Paper Formats

Paper Input Name

A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid

Compatible paper weight 64 g/m<sup>2</sup> - 200 g/m<sup>2</sup>

250 80gsm Paper Capacity 1

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

{SPECGROUPNAMEPAPERFEEDC2-C4}

Paper Input Name C2-C4

A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid Paper Formats

Compatible paper weight 64 g/m<sup>2</sup> - 200 g/m<sup>2</sup> Paper Capacity 1 500 80gsm



#### PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RD3TWFC

PAPER FEED DUPLEX

Paper Input Name Duplex

Paper Formats A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid

Compatible paper weight 64 g/m² - 150 g/m²

Paper Capacity 1 80gsm

Media type Plain Paper, Recycled Paper, Colour Paper, Letterhead

GENERAL

Energy Use 20 W (Ready), 0.5 W (Power off), ENERGY STAR® qualified, 40 W (standalone copying,

ISO/IEC 24712 pattern), 1.6 W (sleep mode), TEC 0.3 kWh/week

Supply Voltage AC 220 V - 240 V

Product dimensions 787 x 873 x 1,162 mm (Width x Depth x Height)

Product weight 111.5 kg

Compatible Operating Citrix XenApp 7.x, Linux, Mac OS 10.10.x, Mac OS 10.11, Mac OS 10.6+, Mac OS 10.7.x, Mac

Systems OS 10.8.x, Mac OS 10.9.x, Microsoft Windows Vista (32/64 bit), Microsoft Windows XP (Home

Edition / Prof / Prof X64 / Vista), SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows XP x64, Windows server 2003

R2

Sound Power Operation: 6.4 B (A)
Sound Pressure Operation: 48 dB (A)

Mobile and Cloud printing Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint,

services Google Cloud Print
Power Supply 220V, 240V

ADDITIONAL FEATURES

Features Touchscreen, Direct scan-to-print without PC, Direct print from USB

LCD screen Type: Colour, Touchscreen, Diagonal: 12.7 cm

Media Handling Automatic duplex (A4/A3, plain paper), Portrait & Landscape printing, Rear specialty media

feed, Thick Media Support

Security Functions Limit access function with Epson Web Config, Secure confidential printing with PIN code

release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin

Mode

OTHER FEATURES

Emulations PCL6, PCL5c, PCL5e, ESC/P-R, PDF 1.7, PostScript 3

OTHER

Warranty 12 months On-site service

Optional warranty extension available



#### **SUPPLIES**

| Business Paper - A4 - 500 Sheets                                       | C13S450075 |                  |
|--|------------|------------------|
| <ul> <li>WorkForce Pro WF-C869R Black XL Ink Supply Unit</li> </ul>    | C13T973100 | 22,500 pages     |
| <ul> <li>WorkForce Pro WF-C869R Cyan XL Ink Supply Unit</li> </ul>     | C13T973200 | 22,000 pages     |
| <ul> <li>WorkForce Pro WF-C869R Magenta XL Ink Supply Unit</li> </ul>  | C13T973300 | 22,000 pages     |
| <ul> <li>WorkForce Pro WF-C869R Yellow XL Ink Supply Unit</li> </ul>   | C13T973400 | 22,000 pages     |
| <ul> <li>WorkForce Pro WF-C869R Black XXL Ink Supply Unit</li> </ul>   | C13T974100 | 86,000 pages     |
| <ul> <li>WorkForce Pro WF-C869R Cyan XXL Ink Supply Unit</li> </ul>    | C13T974200 | 84,000 pages     |
| <ul> <li>WorkForce Pro WF-C869R Magenta XXL Ink Supply Unit</li> </ul> | C13T974300 | 84,000 pages     |
| <ul> <li>WorkForce Pro WF-C869R Yellow XXL Ink Supply Unit</li> </ul>  | C13T974400 | 84,000 pages     |
| Maintenance box  | C13T671400 |                  |
| Optional Cassette Maintenance Roller                                   | C13S210049 | 200,000<br>pages |
| Standard Cassette Maintenance Roller                                   | C13S210048 | 200,000<br>pages |
| Double-Sided Photo Quality Inkjet Paper - A4 - 50 Sheets               | C13S400059 |                  |

# **OPTIONAL ACCESSORIES**

- Card Reader Holder C12C932921
- Retractable Output Tray for C8000 Series C12C934171

# **LOGISTICS INFORMATION**

| SKU         | C11CF34401BZ  |
|-------------|---------------|
| EAN code    | 8715946623207 |
| Layer       | 1 Units       |
| Layer Block | 1 Units       |

### WorkForce Pro WF-C869RD3TWFC

# **INK YIELD DATA**

|       | T973          | T974          |
|-------|---------------|---------------|
| •     | 22,500 pages* | 86,000 pages* |
| • • • | 22,000 pages* | 84,000 pages* |

\* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield











For more information please contact:

Home users: 0343 90 37766 Business users\*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus \* 10p per minute plus network extras. www.epson.co.uk www.epson.ie



<sup>1.</sup> Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield. Initialisation inks only have enough ink to support printer start up, new inks have to be purchased or supplied for normal operation.

2. For more information, visit www.epson.eu/inkjetsaving