WorkForce Pro WF-C869RDTWF



Image: Second second

DATASHEET / BROCHURE

Save on energy and cut waste with this reliable 4-in-1 business MFP, featuring predictable printing costs and low user intervention.

Print 84,000 pages¹ without any supply changes with this exemplary business printer, using Epson's super-high-yield Replaceable Ink Pack System (RIPS). Cut intervention downtime and lessen your impact on the environment with a reduction of up to 95 percent on energy¹ and 99 percent on waste¹. It also uses PrecisionCore technology, renowned for its speed, quality, reliability and efficiency.

Print 84,000 pages uninterrupted

Thanks to super-high-yield ink supply units, you can print up to 84,000 pages without replacing the ink¹, that's up to 4.5 times more prints than colour lasers and copiers². It cuts intervention time by up to 98 percent² as replacement inks are few and far between.

The best choice

It uses Epson's most advanced printhead designed for business, PrecisionCore. But that's not all; compared to competitive colour lasers it uses up to 95 percent less power² thanks to its no-heat technology. There really is no contest; it also beats lasers and copiers with an up to 99 percent reduction in waste and it's up to 23% quieter than lasers and laser copiers².

Be more productive

Its first page out time is up to three and a half times faster than competitive products². Wait times and the distance to collect print jobs are minimised too as it's a workgroup printer.

Built for business

Take control with a range of software and tools that provide secure print options, efficient scanning and help manage devices remotely. NFC and wireless connectivity also supports printing from mobile devices. And with its smartphone inspired user interface and touchscreen, it's intuitive to operate. Epson Open Platform and our work with ISVs add extra solutions, such as PaperCut print management software. Designed for busy environments, its paper tray and other features are built to be robust and durable.

KEY FEATURES

• Reduce downtime Print up to 84,000 pages without replacing the ink¹

- Ecological Uses up to 95 percent less power than competitive colour lasers²
- Save time Automatic double-sided printing, scanning, copying and faxing
- Built for business Added functionality with software tools such as Epson Open Platform
- **PrecisionCore technology** Epson's most advanced printhead technology



PRODUCT SPECIFICATIONS

TECHNOLOGY		
Printing Method	PrecisionCore™ Print Head	
Nozzle Configuration	800 Nozzles black, 800 Nozzles per colour	
Minimum Droplet Size	4,6 pl, With Variable-Sized Droplet Technology	
Ink Technology Replaceable Ink Pack System (RIPS)		
Application	Office Workgroup	
All-in-One Functions	Print, Scan, Copy, Fax	
PRINT		
First Page Out	Monochrome 6 Seconds, Colour 6 Seconds	
Printing Speed ISO/IEC 2473	ting Speed ISO/IEC 24734 24 pages/min Monochrome, 24 pages/min Colour	
Duplex Printing Speed	16 A4 pages/min Monochrome, 16 A4 pages/min Colour	
ISO/IEC 24734		
Printing Speed ISO/IEC 2473	4 13 pages/min Monochrome, 13 pages/min Colour	
(A3)		
Duplex Printing Speed	11 A4 pages/min Monochrome, 11 A4 pages/min Colour	
ISO/IEC 24734 (A3)		
Maximum Printing Speed	35 pages/min Colour (plain paper), 35 pages/min Monochrome (plain paper)	
Printing Resolution	4.800 x 1.200 dpi	
Max Duty cycle	75.000 pages per month	
	The maximum number of printed pages per month based on the performance capabilities of	
	the printer, including ISO rated print speeds and paper handling capabilities.	
Recommended Duty Cycle	2.000 - 10.000 pages per month	
Colours	Black, Cyan, Yellow, Magenta	
For detailed information on p	rinting speeds please visit http://www.epson.eu/testing.	
SCAN		
Single-sided scan speed (A4	200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan	
black)		
Doubled-sided scan speed	200 dpi (with ADF); , 45 ipm with ADF scan	
(A4 black)		
Single-sided scan speed (A4	200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan	
colour)		
Doubled-sided scan speed	200 dpi (with ADF); , 45 ipm with ADF scan	
(A4 colour)		
Scanning Resolution	1.200 dpi x 2.400 dpi (Horizontal x Vertical)	
Optical Resolution (ADF)	600 dpi x 600 dpi (Horizontal x Vertical)	
Advanced document	E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft SharePoint	
integration	with Epson Document Capture Pro, USB Memory Device	
Output formats	JPEG, TIFF, PDF	
Scanner type	Contact image sensor (CIS)	
FAX	Walk up block and white and colour fax constitute	
Type of fax	Walk-up black and white and colour fax capability	
Type of fax Fax Transmission Speed	Up to 33.6kbps / Approx. 3 sec/page	
Type of fax Fax Transmission Speed Error correction mode	Up to 33.6kbps / Approx. 3 sec/page CCITU/ITU Group3 fax with Error Correction Mode	
Type of fax Fax Transmission Speed Error correction mode Fax speed dials (max)	Up to 33.6kbps / Approx. 3 sec/page CCITU/ITU Group3 fax with Error Correction Mode 2.000 names and numbers	
Type of fax Fax Transmission Speed Error correction mode	Up to 33.6kbps / Approx. 3 sec/page CCITU/ITU Group3 fax with Error Correction Mode	

WorkForce Pro WF-C869RDTWF

WHAT'S IN THE BOX

- Quick Setup Guide
- Main unit
- Warranty Documents
- User manual (CD)
- Power cable
- Paper tray
- Initialization Ink Supply Units



PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RDTWF

COPY			
Copy Speed	up to 22 ipm Black, up to 21 ipm Colour		
	*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)		
Copy resolution (dpi)	600 x 1200		
Reduction / Enlargement	25 % - 400 % Auto fit function		
Maximum number of copies	999		
Maximum Copy Size	A3		
CONNECTIVITY			
Network Printing Protocols	LPR, FTP, IPP, Port 9100, WSD, Net BIOS over TCP/IP, IPPS, PTP over IP, DPS over IP, IS,		
	Bonjour/Airprint		
Network Management	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, WSD, LLTD, SMTP, LLMNR, POP3, IEEE		
Protocols	802.1X, ARP, GARP, EAP, ICMP, IGMP, DCHP, DNS-SD, HTTPS, XMPP, SMTPS, LDAP,		
	LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap		
Network Scanning Protocols	NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP		
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-		
	Base TX/ 10-Base-T), USB host, Wi-Fi Direct, USB 2.0 Type A (2x), Wireless LAN IEEE		
	802.11a/b/g/n, USB 3.0 Type B		
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)		
Network Protocols	TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS		
PAPER / MEDIA HANDLING	A4 A5 A6 D5 C4 (Envelope) C6 (Envelope) No 10 (Envelope) Letter 10 v 15 vv 10 v 10		
Paper Formats	A4, A5, A6, B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18		
Automatic Document Feeder	cm, 20 x 25 cm, Legal, A3, B4, B6, C5 (Envelope), DL (Envelope), HLT, EXE, Tabloid, A3+		
Compatible Paper Weight	50 pages 64 q/m² - 300 q/m²		
Duplex	Yes		
Output Tray Capacity	250 Sheets		
Paper Tray Capacity	835 Sheets Standard, 1.835 Sheets maximum		
Standard paper tray(s) Optional paper tray(s)	85-Sheet Multi-Purpose Tray, 250-sheet paper tray, 500-Sheet paper tray		
Maximum paper input	2 x 500-Sheet paper tray, Cabinet 1.835		
Rear paper path (special	Yes		
media)			
Number of paper trays	3		
PAPER FEED RASF			
Paper Input Name	RASE		
Paper Formats	A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope),		
r apor r onnato	Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, SRA3, Tabloid		
Custom sizes	Min 55x 330 mm to Max 127x 1.200 mm		
Compatible paper weight	64 g/m ² - 300 g/m ²		
Paper Capacity 1	85 80gsm		
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper		
PAPER FEED C1			
Paper Input Name	C1		
Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive, Tabloid		
Compatible paper weight	64 g/m ² - 200 g/m ²		
Paper Capacity 1	250 80gsm		
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead		
PAPER FEED C2	C2		
Paper Input Name			
Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive		
Compatible paper weight	64 g/m ² - 200 g/m ²		
Paper Capacity 1	500 80gsm Diain Banar, Banaria Calaur Banar, Latterband		
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead		



PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RDTWF

PAPER FEED DUPLEX			
Paper Input Name	Duplex A3, A4, A5, B4, B5, B6, Letter, Legal, Executive, Tabloid		
Paper Formats			
Compatible paper weight	64 g/m² - 150 g/m²		
GENERAL			
Energy Use	20 W (Ready), 0,5 W (Power off), ENERGY STAR® qualified, 40 W (standalone copying,		
	ISO/IEC 24712 pattern), 1,6 W (sleep mode), TEC 0,3 kWh/week		
Supply Voltage	AC 220 V - 240 V		
Product dimensions	787 x 758 x 621 mm (Width x Depth x Height)		
Product weight	64,1 kg		
Compatible Operating Systems	Citrix XenApp 7.x, Linux, Mac OS 10.10.x, Mac OS 10.11, Mac OS 10.6+, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Microsoft Windows Vista (32/64 bit), Microsoft Windows XP (Home Edition / Prof / Prof X64 / Vista), SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition, Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista x64, Windows XP x64, Windows server 2003 R2		
Sound Power	Operation: 6,4 B (A)		
Sound Pressure	Operation: 48 dB (A)		
Mobile and Cloud printing	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint,		
services	Google Cloud Print		
Power Supply	220V, 240V		
ADDITIONAL FEATURES			
Features	Touchscreen, Direct scan-to-print without PC, Direct print from USB		
LCD screen	Type: Colour, Touchscreen, Diagonal: 12,7 cm		
Media Handling	Automatic duplex (A4/A3, plain paper), Portrait & Landscape printing, Rear specialty media feed, Thick Media Support		
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode		
OTHER FEATURES			
Emulations	PCL6, PCL5c, PCL5e, ESC/P-R, PDF 1.7, PostScript 3		
OTHER			
Warranty	12 months On-site service		



SUPPLIES

- WorkForce Pro WF-C869R Black XL Ink Supply Unit
- WorkForce Pro WF-C869R Cyan XL Ink Supply Unit
- WorkForce Pro WF-C869R Magenta XL Ink Supply Unit
- WorkForce Pro WF-C869R Yellow XL Ink Supply Unit
- WorkForce Pro WF-C869R Black XXL Ink Supply Unit
- WorkForce Pro WF-C869R Cyan XXL Ink Supply Unit
- WorkForce Pro WF-C869R Magenta XXL Ink Supply Unit
- WorkForce Pro WF-C869R Yellow XXL Ink Supply Unit
- Maintenance box
- Optional Cassette Maintenance Roller
- Standard Cassette Maintenance Roller
- Double-Sided Photo Quality Inkjet Paper A4 50 Sheets

OPTIONAL ACCESSORIES

- 500-Sheet Paper Cassette
- C12C932611
- Low Cabinet
- C12C932891
- High Cabinet C12C933561

LOGISTICS INFORMATION

SKU	C11CF34402SA
EAN code	8715946637785
Dimensions Single Carton	745 x 945 x 1100 mm
Carton Weight	87 Kg
Layer	1 Units

WorkForce Pro WF-C869RDTWF

INK YIELD DATA

C13T973100 22.500 pages

C13T973200 22.000 pages

C13T973300 22.000 pages

C13T973400 22.000 pages

C13T974100 86.000 pages

C13T974200 84.000 pages

C13T974300 84.000 pages

84.000 pages

200.000 pages

200.000

pages


C13T974400

C13T671400

C13S210049

C13S210048

C13S400059



* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield



 Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield. Initialisation inks only have enough ink to support printer start up, new inks have to be purchased or supplied for normal operation.
For more information, visit www.epson.eu/inkjetsaving

